



bounce

Chair



About Bounce

Called the Bounce chair due to the independent movement of the seat and back, this flex provides a comfort not usually associated with steel and plywood chairs. Bounce is robust, elegant, lightweight and stackable; it is seen widely used in educational and hospitality settings.


Bounce stacks 8 on the ground and 14 on dedicated stacking trolley.

Compliance


- SCS Indoor Advantage™ Gold Certificate
- naughtone is FSC® certified
- naughtone is FISP and ISO14001 certified
- Our chairs are designed to meet or exceed all EN performance requirements per BS EN 16139:2013

Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch




NOBNN1
Bounce Chair
mm W 555 D 550 H 752 Seat 452
inch W 22 D 21.5 H 29.5 Seat 17.5



Stacking Quantity
On Ground x 8
On Stacking Trolley x 14

Stacking Trolley



NOSCC100
Stacking Trolley
Black
mm W 1010 D 595 H 1690
inch W 40 D 23.5 H 67

Base Finishes



White Powder Coated
Standard




Black Powder Coated
Standard



RAL Powder Coated
naughtone Colors

Seat and Back Finishes



Oak
Standard



Walnut











Bounce Chair Technical Specifications

Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
 - Seat front edge static load test
 - Vertical static load on back
 - Foot rest and leg rest static load test
 - Arm sideways static load test
 - Arm downwards static load test
 - Vertical upwards static load on arm rests
- Seat and back durability test
 - Seat front edge durability test
 - Leg forward static load test
 - Leg sideways static load test
 - Seat impact test
 - Back impact test
 - Arm impact test

Structural Testing Certifications

NOBNN1
Bounce Chair
BS EN 16139:2013, Level 1
Static load 160kg

Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty




naughtone offers a **7 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at naughtone.com/warranty

Bounce Chair Technical Specifications



| Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small> | A Overall Width | B Overall Depth | C Overall Height | D Seat Height | E Seat Width | F Height from Seat to Top | G Weight |
|---|--------------------|--------------------|---------------------|------------------|-----------------|------------------------------|------------------|
| 1 NOBNN1 Bounce Chair | 555mm 22in | 550mm 21.5in | 750mm 29.5in | 450mm 17.5in | 420mm 16.5in | 300mm 12in | 6.5kg 14.3lbs |

Measuring Guide



Bounce Chair Environmental Product Summary



Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®**certified
- **6.5kg** total weight
- **72.09% Recyclable** (frame, fixings and feet)
- **27.01% Reusable** (seat/back)
- **44.1% Recycled Content** (frame and fixings)
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)


These attributes can help you to achieve criteria towards **LEED**, **BREEAM**, **Ska** and **WELL** building certifications




Bounce Chair Environmental Product Summary

Material Percentage Split


- 72.09% Mild Steel
- 27.01% Veneered Plywood
- 0.61% Polypropylene
- 0.30% Stainless Steel



Post Consumer Recycled Content



Recyclable Content



Product Specific Design Statement

The **Bounce Chair** frame is machine bent from mild steel tube which is then weld jointed together and hand polished to a smooth surface. The frame also has strengthening sleeves internally to assist the strength and bounce of the cantilever shape. The frame is then finished with a polyester powder coat.

The Bounce chair seat and back are both made from moulded beech plywood and faced with either oak or walnut veneer. The surface finish is a hard wearing spray matt lacquer. The plywood pieces and frame are assembled together by hand using minimal fixings and can be easily disassembled if necessary.

CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.





1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colors allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

UK Showroom

6 Bakers Yard
Clerkenwell
London EC1R3DD
T: +44 (0)20 389 22 788

US Showroom

Suite 10-110
222 Merchandise Mart Plaza
Floor 10
Chicago IL 60654

naughtone HQ

Knaresborough Tech Park
Manse Lane
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500
E: sales@naughtone.com

www.naughtone.com