Viv Chair & Stool A good-looking, comfortable chair that works anywhere.

With its appealing contours and slender form, the Viv Chair is an adaptable addition to any space: from hospitality to meeting room to breakout area. What sets Viv apart is its sharp upholstery and remarkable array of base choices, making this multifaceted chair a versatile solution. The refined design has the curious ability to both complement and elevate whatever pieces it is paired with.



Despite its simple design, Viv opens up a world of possibility. Specify it on legs, sleds or even castors – each configuration changes Viv's character and pivots its design to different use cases. Choose dowel legs or solid wood oak or walnut; style it to blend in or stand out with NaughtOne's famously wide selection of fabrics. Do all of these things as standard – that's how we keep things simple for you.

If specifying as a chair with sled or leg base, Viv can be supplied with a stacking trolley to keep them tidy when not in use.



Product Specification

Base Options



Black/white/ chrome 4 leg base Standard



RAL powder coated 4 leg base NaughtOne Colours



Black/white/ chrome sled base Standard



RAL powder coated sled base NaughtOne Colours



Solid oak dowel base



Solid walnut



Black/white/ polished 4 star base



RAL powder coated 4 star base NaughtOne Colours



Black/white/ polished 5 star base



RAL powder coated 5 star base NaughtOne Colours

Compliance

- FSC® certified products available upon request
- NaughtOne is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013

Other Options



Stacking trolley See price list for details



5 star base gas lift mechanism

Resources

3D visualisation models, 2D DWG and Revit files are available for all NaughtOne products.

Download the files from our website www.naughtone.com

All images shown here and many others can be downloaded from www.naughtone.com or please request a link to our Dropbox account.



Viv's sleek contours harmonise beautifully with our Morse Table System.

Sizes

All dimensions quoted are rounded to the nearest 5 mm or nearest 1/2 inch



VTVCHB4I

Viv Chair 4 Leg Base w560 d550 h810 seat 450 (mm) w22 d21.5 h32 seat 17.5 (in)



VIVCHBDL

Viv Chair Dowel Base w505 d555 h810 seat 450 (mm) w20 d22 h32 seat 17.5 (in)



VIVCHSL

Viv Chair Sled Base w515 D570 h825 seat 450 (mm) w20.5 d22.5 h32.5 seat 17.5 (in)



VIVCHSSL

Viv Counter Height Stool Sled Base w565 d545 h915 seat 660 (mm) w22 d21.5 h36 seat 25.5 (in)



VIVBSSL

Viv Barstool Sled Base w565 d575 h1025 seat 750 (mm) w22 d22.5 h40.5 seat 29.5 (in)



VIVCHSB4L

Viv Counter Height Stool 4 Leg Base w570 d535 h955 seat 650 (mm) w22.5 d21 h37.5 seat 25.5 (in)



VIVBSB4L

Viv Barstool 4 Leg Base w570 d535 h1055 seat 750 (mm) w22.5 d21 h41.5 seat 29.5 (in)



VIVCH4S

Viv Chair 4 Star Base with Auto Return and Standard Glides w500 d530 h785 seat 450 (mm) w19.5 d21 h31 seat 17.5 (in)



VIVACH4S

Viv Armchair 4 Star Base with Auto Return and Standard Glides w500 d530 h785 seat 450 (mm) w19.5 d21 h31 seat 17.5 (in)



VIVCH5S

Viv Chair 5 Star Base with Standard Castors w635 d530 h785 seat 450 (mm) w25 d21 h31 seat 17.5 (in)



VIVACH5S

Viv Armchair 5 Star Base with Standard Castors w635 d530 h785 seat 450 (mm) w25 d21 h31 seat 17.5 (in)

Colours

NaughtOne RAL palette



Technical Specification



Servicing

If a component is damaged, we will be happy to facilitate any replacements that are required. Please email our team with an image of the damaged part and reference your order number.

Warranty

NaughtOne offers a 10-year warranty across all products. Details on the terms and conditions of NaughtOne's warranty can be found at www.naughtone.com/warranty

Flammability

The cold cure foam material has been tested to meet the following standards: British standard: 5852:2006 Part 2 California Technical Bulletin: 117-2013 Italian standard: UNI9175-CLASS 1.IM

The flammability standard of the covering fabric is dependent on the choice made by the customer. Details of the flammability rating of specific fabrics can be found on supplier websites.

Testing

Our chairs are designed to meet or exceed all EN performance requirements as per BS EN 16139:2013, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

Structural Testing Certifications

VIVCHBSL

Viv Chair Sled Base BS EN 16139:2013, Level 2 Static Load 200 kg

VIVACH5S


Viv Armchair 5 Star Base with Gas Lift Mechanism ANSI / BIFMA X5.1 (2017) Static Load 300 lb

VIVCHB4L

Viv Chair 4 Leg Base ANSI / BIFMA X5.4 (2012) Static Load 300 lb

| PRODUCT CODE / DESCRIPTION | A WIDTH | B DEPTH | C HEIGHT | D SEAT HEIGHT | E SEAT WIDTH | F HEIGHT FROM SEAT TO TOP | G ARM HEIGHT | H WEIGHT | I CAD |
|--|-------------------|-------------------|--------------------|---------------------|--------------------|---------------------------------------|--------------------|----------------------|---------------|
| VIVCHB4L | | | | | | | | | |
| Viv Chair 4 Leg Base | 560 mm 22 in | 550 mm 21.5 in | 810 mm 32 in | 450 mm 17.5 in | 425 mm 17 in | 355 mm 14 in | - | 7.14 kg 15.74 lb | A |
| VIVCHBDL | | | | | | | | | |
| Viv Chair Dowel Base | 505 mm 20 in | 555 mm 22 in | 810 mm 32 in | 450 mm 17.5 in | 425 mm 17 in | 355 mm 14 in | _ | 7.89 kg 17.39 lb | |
| VIVCHSL | | | | | | | | | U |
| Viv Chair Sled Base | 515 mm 20.5 in | 560 mm 22 in | 780 mm 30.5 in | 450 mm 17.5 in | 425 mm 17 in | 355 mm 14 in | - | 9.57 kg 21.09 lb | A |
| VIVCHSSL | | | | | | | | | |
| Viv Counter Height Stool Sled Base | 560 mm 22 in | 560 mm 22 in | 910 mm 36 in | 660 mm 26 in | 425 mm 17 in | 275 mm 11 in | - | 10.19 kg 22.47 lb | A |
| VIVBSSL | | | | | | | | | |
| Viv Barstool Sled Base | 560 mm 22 in | 560 mm 22 in | 1100 mm 39.5 in | 750 mm 29.5 in | 425 mm 17 in | 275 mm 11 in | _ | 10.65 kg 23.47 lb | A |
| VIVCHSB4L | | | | | | | | | 7 |
| Viv Counter Height Stool 4 Leg Base | 570 mm 22.5 in | 535 mm 21 in | 955 mm 37.5 in | 650 mm 25.5 in | 425 mm 17 in | 305 mm 12 in | - | 9.10 kg 20.06 lb | A |
| VIVBSB4L | | | | | | | | | |
| Viv Barstool 4 Leg Base VIVCH4S | 570 mm 22.5 in | 535 mm 21 in | 1055 mm 41.5 in | 750 mm 29.5 in | 425 mm 17 in | 305 mm 12 in | - | 9.41 kg 20.75 lb | A |
| Viv Chair 4 Star Base with Auto Return and | | 530 mm 21 in | 785 mm 31 in | 450 mm 17.5 in | 425 mm 17 in | 355 mm 14 in | - | 8.5 kg 18.7 lb | \mathcal{J} |
| Standard Glides | | | | | | | | | |
| VIVACH4S Viv Armchair 4 Star | 500 mm | 530 mm | 785 mm | 450 mm | 425 mm | 355 mm | 175 mm | 10.4 kg | $\overline{}$ |
| Base with Auto Return and Standard Glides | | 21 in | 31 in | 17.5 in | 425 mm 17 in | 14 in | 7 in | 22.9 1b | |
| VIVCH5S | | | | | | | | | |
| Viv Chair 5 Star Base with Standard Castors | 635 mm 25 in | 530 mm 21 in | 785 mm 31 in | 450 mm 17.5 in | 425 mm 17 in | 355 mm 14 in | - | 10.5 kg 23.1 lb | |
| VIVACH5S | | | | | | | | | - F p |
| Viv Armchair 5 Star Base with Standard Castors | 635 mm 25 in | 530 mm 21 in | 785 mm 31 in | 450 mm 17.5 in | 425 mm 17 in | 355 mm 14 in | 175 mm 7 in | 12.4 kg 27.3 lb | |

Measuring Guide







Viv chair sled base.

Product Sustainability Statement

The Viv Chair is available in a range of sizes, configurations and finishes, but for the purpose of this document we have a specific example from the range: Viv Chair Sled Base.

Environmental Attributes

- NaughtOne is FISP and ISO14001 certified
- NaughtOne is FSC® certified (FSC® C134222)
- 8.5 kg total weight
- 91.79% Recyclable (base, foam, feet, fixings)
- 51.93% Recycled content (shell, sled frame and fixings)
- SCS Indoor Advantage™ Gold ANSI / BIFMA Furniture Emissions Standard (M7.1 / X7.1-2011 R2021) and ANSI / BIFMA e-3-2019 (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications.



FSC® certified products available upon request (FSC® C134222)





NaughtOne offers PEFC certified products



Where sustainable sources are quoted and a chain of custody is required by a customer, this must be indicated on the purchase order to NaughtOne. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in this document may vary based on model and options selected. We have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages. Material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.


Recyclable Content

91.79% RECYCLABLE

Recycled Content

51.93%

Material Percentage Split



CSR Statement

We care a great deal about the sustainability of our products. At every stage of the process – from design to manufacturing to shipping – we seek to minimise our environmental impact. Our 10-year warranty speaks of our commitment to making quality, durable furniture that does not need to be regularly replaced. We offer FSC® certified upholstered products and use recycled metals in our table ranges. We have manufacturing facilities in North America to reduce freight miles in our largest market and we offer an innovative Take-Back Programme that enables clients to return products to us at their end of life so we can recycle the parts. We are proud of what we have done, but we are ready to go further.

Viv Chair & Stool A good-looking, comfortable chair that works anywhere.

Designed by NaughtOne

naughtone.com

